WorkForce[®] Enterprise Series MFPs

Interactive Product Sheet





Explore Features	
Compare Models	
Configuration Tool	
Part Number Index	
Complete Specifications	



Explore Features

WorkForce Enterprise Series



DURABRITE PRO INK

CONNECTIVITY OPTIONS

OPTIONAL ACCESSORIES

DuraBrite® Pro Ink

The Epson DURABRite Pro Ink is engineered for affordable, high-volume printing applications. The fast-drying pigment ink is designed to deliver sharp text and brigher colors for professional-quality results.

Learn More





Compare Models

WorkForce Enterprise Series

WorkForce Enterprise WF-C21000

- Color & monochrome printing
- Print speeds up to 100 ppm (Color / Mono)[†]
- Optional Finishing Capabilities: Stapling, Stacking, Hole Punch and Booklet Making

Configure Options



WorkForce Enterprise WF-C20750

- Color & monochrome printing
- Print speeds up to 75 ppm (Color / Mono)[†]
- Optional Finishing Capabilities: Stapling, Stacking, Hole Punch and Booklet Making

Configure Options



WorkForce Enterprise WF-C20600

- · Color & monochrome printing
- Print speeds up to 60 ppm (Color / Mono)[†]
- Optional Finishing Capabilities: Stapling, Stacking, Hole Punch and Booklet Making

Configure Options



WorkForce Enterprise WF-M21000

- Monochrome printing only
- Print speeds up to 100 ppm (Mono)[†]
- Optional Finishing Capabilities: Stapling, Stacking, Hole Punch and Booklet Making

Configure Options





Configuration Tool

Printer Model	Additional Options		
Finishing Option	□ Paper Cassette Lock □ High-capacity Input Tray □ Ontional Super C3 Fox Board		
Hole Punch Unit	 Optional Super G3 Fax Board Optional Gigabit Ethernet Card Optional Paper Guide 		
Please	select a printer model above to see your configuration.		



Epson Business Inkjet Advantage

See what makes Epson Business Inkjet the best choice for productivity.

HEAT-FREE TECHNOLOGY

HIGH QUALITY


HIGH PRODUCTIVITY

INKJET VS. LASER

PrecisionCore Heat-Free Technology™

Epson sets the standard with PrecisionCore Heat-Free Technology[™], designed to help reduce maintenance and minimize waste.






♦ Lowest Power Consumption in its Class¹

- Reduces power consumption by eliminating heat from the ink ejection process.
- Practically no warm-up time requires to start printing.

Reduce Waste

- Designed with few maintenance parts, which can result in less waste.
- High-yield consumables allow for more printing with less waste.





Finishing Options

WorkForce Enterprise Series



STAPLING

STACKING

HOLE PUNCH

BOOKLET MAKING



Stapling

Bind your documents together with a variety of stapling patterns with the optional Staple Finisher or Booklet Finisher.

Staple Configurations









Single Top (Portrait)

Single Top (Landscape)

Two Top

Two Side

Staple Sheet Counts

Paper Weight	Letter/A4	Legal, 11" x 17"
60-90 gsm	50 sheets	30 sheets
91-105 gsm	30 sheets	20 sheets

♦ Finisher Speeds³

		WF-C20600	WF-C20750	WF-C21000
1 Point Staple	10 sheets	40 ppm	50 ppm	67 ppm
2 Point Staple	10 sheets	32 ppm	40 ppm	54 ppm



Part Number Index

Part Name	Part Number
WorkForce Enterprise WF-C20600	C11CH86201
WorkForce Enterprise WF-C20750	C11CH87201
WorkForce Enterprise WF-C21000	C11CH88201
WorkForce Enterprise WF-M21000	C11CJ87201
Professional Staple Finisher	C12C935031BU
Professional Booklet Finisher	C12C935061BU
Staple Cartridge for Side Staple	C12C935401
Staple Cartridge for Saddle Stitch	C12C935411
2-4 Hole Punch Kit	C12C935171
2-3 Hole Punch Kit	C12C935181
High-capacity Input Tray	C12C933331
Paper Cassette Lock	C12C933231
Optional Gigabit Ethernet Card	C12C934471
Optional Super G3 Fax Board	C12C934491
Optional Paper Guide	C12C935901
Maintenance Box	T671300



Complete Specifications

	Epson WorkForce Enterprise WF-C21000	Epson WorkForce Enterprise WF-C20750
Function	Multifunction	Multifunction
Maximum paper size	13" x 19" (A3+)	13" x 19" (A3+)
First page out print ⁴	6.2 sec Mono / Color	7 sec Mono / Color
Print speed (Maximum / ISO)	Up to 100 ppm Mono / Color	Up to 75 ppm Mono / Color
Double-sided printing	~	~
Print resolution - maximum	Up to 600 x 2400 dpi	Up to 600 x 2400 dpi
PCL ⁵ and PostScript [®] compatible	~	~
Automatic Document Feeder (ADF)	150 sheets	150 sheets
Paper capacity standard	2,350 sheets	2,350 sheets
Paper capacity	5,350 sheets	5,350 sheets
Paper weight	60 - 350 gsm	60 - 350 gsm
Scanning resolution	600 x 600 dpi	600 x 600 dpi
Scan functions	Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device	Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device
Сору	~	~
Fax	Optional	Optional
Ethernet connectivity	GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int.	GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int.
Wireless connectivity	~	~
Epson Document Capture Pro	~	~
LCD display	9" color touchscreen	9" color touchscreen
Dimensions (W x D x H)	26.5" x 29.8" x 48.9"	26.5" x 29.8" x 48.9"
Weight	390.4 lb (printer), 405.7 lb (printer with supplies)	390.4 lb (printer), 405.7 lb (printer with supplies)
Rated voltage	180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.41 kWh/week	180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.34 kWh/week
Supply voltage	100 V - 240 V AC	100 V - 240 V AC



Complete Specifications

Maximum paper size		Epson WorkForce Enterprise WF-C20600	Epson WorkForce Enterprise WF-M21000
Print page out print* 7.6 sec Mono / Color 6.2 sec Mono	Function	Multifunction	Multifunction
Print speed (Maximum / ISO) Up to 600 pr Mono / Color Up to 100 ppm Mono Double-sided printing - - Print resolution - maximum Up to 600 x 2400 dpi Up to 600 x 2400 dpi PCE* and PostScript* compatible - - Automatic Document Feeder (ADF) 150 sheets 150 sheets Paper capacity standard 2,350 sheets 2,350 sheets Paper weight 60 - 350 gpm 60 - 350 gpm Scanning resolution 600 x 600 dpl 600 x 600 dpl Scan functions Email, FTP, Network folders, Computer (Epson Document Capture Pro, Microsoff*® SharePoint with Epson Document Capture Pro, Microsoff*® SharePoint with Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Documen	Maximum paper size	13" x 19" (A3+)	13" x 19" (A3+)
Double-sided printing	First page out print ⁴	7.6 sec Mono / Color	6.2 sec Mono
Print resolution - maximum Up to 600 x 2400 dpl Up to 600 x 2400 dpl PCL* and PostScript** compatible Company Company Automatic Document Feeder (ADF) 150 sheets 150 sheets Paper capacity standard 2,350 sheets 2,350 sheets Paper capacity 5,360 sheets 5,360 sheets Paper weight 60 - 350 gsm 60 - 350 gsm Scanning resolution 600 x 600 dpl 600 x 600 dpl Scan functions Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoff* SharePoint with Epson Document Capture Pro, Microsoff* SharePoint with Epson Document Capture Pro, Microsoff* SharePoint with Epson Document Capture Pro, Optional Capture Pro, Microsoff* SharePoint with Epson Document Capture Pro,	Print speed (Maximum / ISO)	Up to 60 ppm Mono / Color	Up to 100 ppm Mono
PCIs and PostScript® compatible Compatible <th>Double-sided printing</th> <th>~</th> <th>✓</th>	Double-sided printing	~	✓
Automatic Document Feeder (ADF)	Print resolution - maximum	Up to 600 x 2400 dpi	Up to 600 x 2400 dpi
Paper capacity standard 2,350 sheets 2,350 sheets 5,350 sheets 60 - 350 gsm 60 - 35	PCL ⁵ and PostScript [®] compatible	~	~
Paper capacity 5,350 sheets 5,350 sheets 5,350 sheets 5,350 sheets 60 - 350 gsm 60 gsm 60 - 350 gsm 60 gsm	Automatic Document Feeder (ADF)	150 sheets	150 sheets
Paper weight 60 - 350 gsm 60 - 350 gsm Scanning resolution 600 x 600 dpi 600 x 600 dpi Scan functions Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro, Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro, Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device Copy Image: Capture Pro option, USB memory device Image: Capture Pro option, USB memory device Ethernet connectivity GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Wireless connectivity GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Epson Document Capture Pro Int. Int. LOD display 9" color touchscreen 9" color touchscreen Dimensions (W x D x H) 26.5" x 29.8" x 48.9" 390.4 lb (printer), 390.4 lb (printer), 405.7 lb (printer with supplies) Weight 390.4 lb (printer), 405.7 lb (printer with supplies) 405.7 lb (printer with supplies) Rated voltage 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC 100 V - 240 V AC	Paper capacity standard	2,350 sheets	2,350 sheets
Scan functions Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device Copy Fax Optional Optional Optional GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Wireless connectivity UCD display 9" color touchscreen 9" color touchscreen Dimensions (W x D x H) 26.5" x 29.8" x 48.9" Weight 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC 100 V - 240 V AC	Paper capacity	5,350 sheets	5,350 sheets
Email, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device Copy Fax Optional Optional GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Wireless connectivity Output Fason Document Capture Pro Output GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Wireless connectivity Supply voltage 100 V - 240 V AC 100 V - 240 V AC 100 V - 240 V AC	Paper weight	60 - 350 gsm	60 - 350 gsm
Scan functions Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device Capture Pro), Microsoft® SharePoint with Epson Document Capture Pro option, USB memory device Copy ✓ Fax Optional Optional Ethernet connectivity GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Wireless connectivity ✓ ✓ Epson Document Capture Pro ✓ ✓ LCD display 9" color touchscreen 9" color touchscreen Dimensions (W x D x H) 26.5" x 29.8" x 48.9" 26.5" x 29.8" x 48.9" Weight 390.4 lb (printer), 405.7 lb (printer with supplies) 405.7 lb (printer with supplies) Rated voltage 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 80 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC 100 V - 240 V AC	Scanning resolution	600 x 600 dpi	600 x 600 dpi
Fax Optional Optional GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Wireless connectivity Epson Document Capture Pro CDD display Pi color touchscreen Pi color to	Scan functions	Capture Pro), Microsoft® SharePoint with Epson Document	Capture Pro), Microsoft® SharePoint with Epson Document
Ethernet connectivity GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Wireless connectivity Epson Document Capture Pro COD display Dimensions (W x D x H) Supply voltage GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. GigaBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Int. SignBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Int. SignBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Int. SignBit 1000 Base TX Int. Int. Int. SignBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. Int. SignBit 1000 Base-T, EpsonNet 10/100/1000 Base TX Int. Int. SignBit 1000 Base TX Int. SignBit 100 Base TX SignBit 100 Pitt. SignBit 100 Base TX SignBit 100 Pitt. SignBit 100 Base TX SignBit 100 Pitt. SignBit 100 Base TX SignBit 100 Base TX SignBit 100 Pitt. SignBit 100 Base TX	Сору	~	~
Enernet connectivity Int. Int. Int. Wireless connectivity Epson Document Capture Pro Output CDD display By "color touchscreen By	Fax	Optional	Optional
Epson Document Capture Pro CD display 9" color touchscreen 9" color touchscreen 9" color touchscreen Dimensions (W x D x H) 26.5" x 29.8" x 48.9" 26.5" x 29.8" x 48.9" 390.4 lb (printer), 405.7 lb (printer with supplies) 405.7 lb (printer with supplies) 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC 100 V - 240 V AC	Ethernet connectivity		•
Dimensions (W x D x H) 26.5" x 29.8" x 48.9" 26.5" x 29.8" x 48.9" Weight 390.4 lb (printer), 405.7 lb (printer with supplies) 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 9" color touchscreen 180 W (standalone copying x 48.9" 180 W (standalone copying x 48.9" 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 100 V - 240 V AC	Wireless connectivity		
Dimensions (W x D x H) 26.5" x 29.8" x 48.9" 26.5" x 29.8" x 48.9" 390.4 lb (printer), 390.4 lb (printer), 405.7 lb (printer with supplies) 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC 26.5" x 29.8" x 48.9" 390.4 lb (printer), 390.4 lb (printer), 405.7 lb (printer with supplies) 405.7 lb (printer with supplies) W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 100 V - 240 V AC	Epson Document Capture Pro	~	~
Weight 390.4 lb (printer), 405.7 lb (printer with supplies) 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 100 V - 240 V AC 390.4 lb (printer), 390.4 lb (printer), 405.7 lb (printer with supplies) 405.7 lb (printer with supplies) W (Standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 100 V - 240 V AC	LCD display	9" color touchscreen	9" color touchscreen
405.7 lb (printer with supplies) 405.7 lb (printer with supplies) 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC 405.7 lb (printer with supplies) 405.7 lb (printer with supplies) W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 100 V - 240 V AC	Dimensions (W x D x H)	26.5" x 29.8" x 48.9"	26.5" x 29.8" x 48.9"
Rated voltage W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week Supply voltage 100 V - 240 V AC W (Sleep Mode), 77 W (Ready), 0.4 W (Power off), ENERGY STAR 3.0 TEC 0.31 kWh/week 100 V - 240 V AC	Weight	"	n .
	Rated voltage	W (Sleep Mode), 77 W (Ready), 0.4 W (Power off),	W (Sleep Mode), 77 W (Ready), 0.4 W (Power off),
Sound level Less than 75 dB Less than 75 dB	Supply voltage	100 V - 240 V AC	100 V - 240 V AC
	Sound level	Less than 75 dB	Less than 75 dB



Epson Business Solutions

Epson is a leading provider of innovative technology solutions that help businesses succeed. We partner with you to best meet your specific needs, focusing on:

- Improved productivity
- World-class customer service and support
- Cost-effective, high-quality solutions
- A commitment to the environment

Discover how Epson can help you work toward the future. www.epson.com/forbusiness



† I Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed 1 | Compared to similarly featured color multifunction printers with speeds of 45 ppm or greater based on industry available data, October 2019. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed 2 | Testing conducted by BLI as commissioned by Epson on May 2018. Two comparison models were selected from color laser multi-function printers in the 65-70ppm class. Calculations were based on the frequency and volume of consumables and replacement parts required to print 1 million pages (ISO/IEC 24712 test pattern) over a period of 5 years. 3 | Actual finisher speeds may vary depending on print environment and number of sheets being finished. 4 | Compared to similarly featured color multifunction printers with speeds of 45 ppm or greater based on industry available data, October 2019. Actual power savings will vary by product model and usage 5 | Not all media types are supported for PCL printing.

Epson America, Inc. 3131 Katella Avenue, Los Alamitos CA 90720 **www.epson.com** **Epson Canada Limited** 185 Renfrew Drive, Markham, Ontario L3R 6G3 **www.epson.ca** Better Products for a Better Future[™] eco.epson.com

EPSON, DURABrite, PrecisionCore and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect, Epson iPrint and PrecisionCore Heat-Free Technology are trademarks of Seiko Epson Corporation. Wi-Fi Direct[®] is a registered trademark and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance[®]. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2020 Epson America, Inc.